CONTENTS OF VOLUME 35

VOLUME 35 NUMBER 1

1 Editorial

2 Chemical weed control in Bulgarian coriander (*Coriandrum sativum* L.) **S. K. Kothari, J. P. Singh and Kamla Singh**

6 Propanil tolerance in *Echinochloa crus-galli* (L.) Beauv. **C. N. Giannopolitus and G. Vassiliou**

8 Weed populations in transplanted and wet-seeded rice as affected by weed control method **J. D. Janiya and K. Moody**

12 Review of literature on *Imperata cylindrica* (L.) Raeuschel with particular reference to South East Asia **R. M. Brook**

26 Weed populations and agronomic practices at wheat farms on the Hanang plains in Tanzania **J. R. Moyer, Z. J. Owenya and S. P. Kibuwa**

30 Survey of parasitic weed problems in the West Bank and Gaza Strip **Lytton J. Musselman, Mohammed Aggour and Hanni Abu-Sbaieh**

34 Optimal weeding treatments in upland rice: a crop competition experiment **B. A. C. Legaspi, Jr, C. P. Medina, J. C. Alagos, D. B. Magcale-Macandog and F. P. Lansigan**

39 Cultural control of stem rot disease of rice incited by *Magnaporthe salvinii* (Catt.) Krause and Webster under field conditions in India **K. M. Das, S. Gangopadhyay and A. K. Mishra**

41 Management of tungro virus disease by application of wettable powder and flowable insecticides **M. K. Satapathy and A. Anjaneyulu**

48 Identification of field resistant rice cultivars for tungro disease **S. K. Mohanty, G. Bhaktavatsalam and A. Anjaneyulu**

51 Effect of root zone placement of granular insecticides for tungro prevention and its control **M. K. Satapathy and A. Anjaneyulu**

57 The relationship of yield loss to foliar diseases on sorghum grown by subsistence farmers in southern Honduras **G. C. Wall, M. J. Jeger and R. A Frederiksen**

62 Improved persistence of oil-based compared with water-based formulations of endosulphan on cotton foliage **A. G. L. Wilson**

65 A means of applying mature aerosol drops to insects for screening biocidal activity **D. R. Johnstone, J. F. Cooper, L. S. Flower, E. G. Harris, S. C. Smith and C. R. Turner**

67 Some social and ecological considerations for rodent control in District Pauri of Garhwal Himalayas **C. S. Malhi and Chander Sheikher**

70 Seasonal occurence of sorghum earhead bug, *Calocoris angustatus* Lethierry (Hemiptera: Miridae) in southern India **N. Natarajan, P. C. Sundara Babu and S. Chelliah**

78 The biology of *Sylepta derogata* Fabricus (Pyralidae), a lepidopterous pest of okra in Eastern Nigeria **S. C. Anioke**

83 The coconut mite, *Eriophyes guerroronis* Keifer in St. Lucia: yield losses and attempts to control it with acaricide, polybutene and *Hirsutella* fungus **D. Moore, L. Alexander and R. A. Hall**

90 Foliar pests of watermelon in Hawaii **Marshall W. Johnson, Ronald F. L., Mau, Albert P. Martinez and Steven Fukuda**

97 Control of tropical spotted cutworm, *Amathes c-nigrum* (L.), by gamma radiation **Sana U. K. Khattak, Franklin J. Howell and Leland D. White**

100 Field evaluations of commercially available traps and synthetic sex pheromone lures of the false codling moth, *Cryptophlebia leucotrata* (Meyr.) (Lepidoptera: Tortricidae) **Philip J. Newton and Victor C. Mastro**

105 **Short Communications**
Dissipation of quinalphos (O, O, diethyl O-quinaxalin-2yl phosphorothioate) residues in and/or on cauliflower (*Brassica olearacea Var. Botrytis*) **Alamelu Gupta and N. S. Parihar**
Ovipositional preference of tuber moth *Phthorimaea (Gnorimoscherna) operculella* Zeller on five varieties of potatoes in Nepal **Bishni K. Gyawali**
Control of *Meloidogyne incognita* on cucumber by small quantities of systemic nematicides applied at seedling stage **Thierry Mateiile and Caspar Netschere**

108 **Notes and News**

110 **Forthcoming Events**

113 **Book Reviews**

VOLUME 35 NUMBER 2

117 Varietal behaviour and efficacy of different fungicides for the control of date palm leaf spot caused by *Graphiola phoenicis* **N. Mehta, P. C. Gupta, R. K. Thareja and J. K. Dang**

120 Entomogenous fungi infecting *Heteropsylla cubana* Crawford (Hoptera: Psyllidae) in Leyte, Phillipines **L. T. Villacarlos and R. P. Robin**

123 Occurrence of peanut stripe virus (PStV) on soybean in Taiwan—effect on yield and screening for resistance **S. K. Green and D. R. Lee**

127 Influence of 2,4-D and surfactant in combinations with urea herbicides on the control of weeds in wheat **R. K. Malik, R. S. Panwar, V. M. Bhan and R. S. Malik**

130 Effect of intercropping sorghum and groundnuts on density of *Striga hermonthica* in The Gambia **A. G. Carson**

133 On-farm assessment of the potential for the use of herbicide in oxen-mechanized sorghum production in the Nigerian savanna **A. O. Ogungbile and S. T. O. Lagoke**

137 Insect pests of pearl millet in Sahelian West Africa I. *Acigona ignefusalis* (Pyralidae, Lepidoptera): distribution, population dynamics and assessment of crop damage **K. F. Nwanze**

143 The relationship between sowing date, infestation and damage by the maize stalk borer, *Busseola fusca* (Noctuidae). on maize in Awassa, Ethiopia **Assefa Gebre-Amlak, R. Sigvold and J. Pettersson**

146 Traditional pest control in Ecuador: effects of castor leaves on Coleoptera pests in corn **D. C. Evans**

150 Mustard varieties resistant to aphid (*Lipaphis erysimi* Kalt) in India **Shri Ram, M. P. Gupta and R. P. Maurya**

154 Studies on the economic threshold level of mustard aphid *Lipaphis erysimi* (Kaltenbach) on the radish seed crop on India **D. S. Bath and D. Singh**

157 Relationships between pheromone catches of adult moths, foliar larval populations and plant infestations by potato tuberworm in the field **L. Lal**

160 Pheromone trap height effect on field catch of codling moth, *Cydia pomonella* (L.) **S. U. Khattak, J. F. Howell and L. D. White**

163 The distribution of the coffee berry borer (*Hypothenemus hampei*) in Southern Mexico: a survey for a biocontrol project **P. S. Baker, J. F. Barrera and J. E. Valenzuela**

169 A sampling plan for a control project against the coffee berry borer (*Hypothenemus hampei*) in Mexico **P. S. Baker**

173 The larval population and crop growth phase for screening cowpea for resistance to *Maruca testulalis* (Geyer) (Lepidoptera: Pyralidae) in Nigeria based on flowers, pods and yield loss **T. N. C. Echendu and A. E. Akingbohungbe**

176 Chemical control of stemfly-wilt complex of peas **D. Singh, J. S. Dhiman and M. S. Saimbhi**

180 Variation in pathogenicity of *Ascochyta rabiei* on chickpeas **S. R. Gowen, M. Orton, B. Thurley and A. White**

187 Effect of different levels of bruchid, *Callosobruchus chinensis* (L.) infestation on chickpea, *Cicer arietinum* L. in India **S. K. Singal, Z. Singh and R. S. Jaglan**

190 The red bollworm, *Diparopsis castanea* Hamps (Lepidoptera: Noctuidae) and cotton production in Tanzania **J. C. B. Kabissa and B. T. Nyambo**

193 Sampling *Phenacoccus manihoti* in cassava fields in Nigeria **F. Schulthess, J. U. Baumgärtner and H. R. Herren**

201 Nine years of studies on the relationship between captures of male olive moths *Prays oleae* Bern. (Lepidoptera: Hyponomeutidae) in sex pheromone baited traps and fruit infestation by the subsequent larval generation (1979–1987) **P. Ramos, M. Campos, J. M. Ramos and O. T. Jones**

205 **Short Communications**

Yield losses due to gall midge *Orseolia oryzae* Wood-Mason in some rice varieties and characterisation of tolerance **P. S. Prakasa Rao**

New records of *Ceratochysa antica, Mallada boninensis* and *Brinckochrysa* sp (Neuroptera: Chrysopidae) from Tanzania **J. C. B. Kabissa, E. Selemani and F. Fundi**

Comparative efficiency of two methods used for sampling *Antestiopsis* species (Hemiptera: Pentatomidae) in Arabica coffee in Uganda **E. B. Karamura**

Rice genotypes resistant to green leafhopper in India **S. Vennila and P. C. Sundara Babu**

Laboratory and field studies of a natural attractant of the the rice pest, *Leptocorisa acuta* (Hemiptera, Coreidae) **N. E. Gunawardena and P. R. Ranatunga**

212 **New records**

Root-knot disease of Henbane, *Hyoscyamus*—a new disease record **A. Haseeb and R. Pandey**

Eurystylus marginatus Odh., a new pest of sorghum in the Sahel **R. T. Gahukar, Y. O. Doumbia and S. M. Bonzi**

New host plants of *Heliothis armigera* in India **G. S. Judal and V. R. Upadhyay**

214 **Notes and news**

217 **Forthcoming events**

218 **Conference report**

VOLUME 35 NUMBER 3

The Green Revolution Revisited

227 Introduction to the symposium **K. L. Andrews**

228 An environmentalist's view of pest management and the Green Revolution **B. J. Bramble**

231 An industrial perspective of the Green Revolution **R. A. Herrett**

235 Second generation insect pest problems on high yielding rices **J. A. Litsinger**

243 A post-Green Revolution strategy for the improvement of small farmer-grown common beans **D. Pachico and A. van Schoonhoven**

248 Economic contributions of pest management to agricultural development **K. H. Reichelderfer**

252 Social science input into IPM **G. E. Goodell**

Related papers

254 Pest control, pest management and the 'human factor' **T. Gabriel**

257 Design and testing of Spanish language programmed instructional materials for plant production **C. S. Barfield, K. L. Andrews and J. Escobar**

264 Insect-borne viruses of rice and the Green Revolution **J. M. Thresh**

Other papers in this issue

273 Investigations on avian pests of oil palm, *Elaeis guineensis* Jacq. in India **K. Dhileepan**

278 The agricultural importance of the wild boar (*Sus scrofa* L.) in Pakistan **J. E. Brooks, E. Ahmad, I. Hussain and M. H. Khan**

282 Rodenticidal baitings in wheat fields of the Garhwal Himalayas **N. Ahmad, C. Sheikher and S. S. Guraya**

286 Evaluation of brodifacoum against the Indian black rat *Rattus rattus wroughtoni* in cocoa **S. Keshava Bhat and A. Sujatha**

289 Plant diseases and other aspects of plant protection in Northern Thailand with special reference to highland development programmes **R. Black and N. Jonglaekha**

297 Influence of different cropping systems on incidence and severity of bacterial pustule of cowpea (*Vigna unguiculata* (L) Walp) caused by *Xanthomonas campestris* p.v. *vignicola* (Burkholder) dye **J. O. Ouko and R. A. Buruchara**

301 Assessment of loss in yield due to sorghum downy mildew (*Peronosclerospora sorghi*) of maize in Nigerian guinea savanna **A. B. Anaso, A. M. Emechebe, P. D. Tyagi and S. K. Manzo**

304 Brown pod, a disease caused by tomato spotted wilt virus on peas in Brazil **F. J. B. Reifschneider, A.C. Cafe, A. N. Dusi and E. W. Kitajima**

307 Study on the effect of four herbicides with and without applied phosphorus on weed control and seed yield of fenugreek (*Trigonella foenum-graecum* L.) **P. L. Maliwal and O. P. Gupta**

311 Effect of herbicide and moisture level on *Rottboellia cochinchinensis* and *Cyperus rotundus* in upland rice **A. K. Pathak, A. Sankaran and S. K. De Datta**

316 Studies on the biology of *Panicum repens* L. II. Intraspecific competition and resource-allocation **J. P. N. R. Chandrasena and H. C. P. Peiris**

321 Evaluation of herbicides for weed control in irrigated wheat in Saudi Arabia **A. Tag-El-Din, M. O. Ghandorah, D. Al-Rajhi and F. Meneesy**

326 A proposed new biological standard for bioassay of bacterial insecticides vs. *Spodoptera* spp. **H. S. Salama, M. S. Foda and A. Sharaby**

331 **Short Communications**

Occurence of olive psylla *Euphyllura pakistanica* Loginova (Homoptera Aphalaridae) on olive in India: a new record **J. R. Thakur, P. C. Sharma and P. R. Gupta**

Effect of foliar insecticides against thrips on onion in Peshawar, Pakistan **M. Zaman**

Influence of different yeast-wholemeal four combinations on pupation, adult eclosion, and development period of *Tribolium* in Bangladesh **A. R. Khan and M. Hasan**

A new strain of *Trioxys complanatus* Quilis parasitizing the spotted alfalfa aphid in the Sudan **Z. E. El Abjar and M. O. Bashir**

337 **Book review**

338 **Forthcoming events**

VOLUME 35 NUMBER 4

339 Cassava intercropping and pest incidence: a review illustrated with a case study from Colombia **C. S. Gold, M. A. Altieri and A. C. Bellotti**

345 Pest management in fodder cowpea (*Vigna unguiculata* L. Walp.) through mixed- and inter-cropping in India **S. Ram, M. P. Gupta and B. D. Patil**

348 Integrated pest management in fodder cowpea (*Vigna unguiculata* L. Walp) in India and its economics **S. Ram and M. P. Gupta**

352 Vertical transmission of granulosis virus of sugarcane shoot borer, *Chilo infuscatellus* Snell. **S. Easwaramoorthy and S. Jayaraj**

354 *Alternaria alternata* (Fr.) Keissler, a pathogen of waterhyacinth with biocontrol potential **K. R. Aneja and K. Singh**

357 Potato virus X (PVX) resistance in tomato cultivars **F. Rashid, S. Khalid, I. Ahmad and S. M. Mughal**

359 Toxicity of certain insecticides to the green peach aphid **M. Tawfiq Mustafa, A. S. Hamdan and Y. Shuraiqi**

362 Studies on the electrostatic application of *Bacillus thuringiensis* on Brussels sprouts **J. A. Ogwang and G. A. Matthews**

365 Studies on the residual fate and dissipation of malathion, methylparathion and quinalphos in paddy under West Bengal climatic condition **H. Banerjee, P. Raha, A. Chowdhury, A. K. Das and N. Adityachaudhury**

370 Persistence of aldicarb and carbofuran residues in potatoes grown in north-western plains of India **S. S. Misra and H. O. Agrawal**

374 Comparative efficacy and economics of insecticides against chickpea semilooper, *Autographa nigrisigna* Walker (Noctuidae: Lepidoptera) infesting chickpea **H. M. Singh and S. M. A. Rizvi**

377 Dissipation of endosulfan residues in kharif paddy under West Bengal agroclimatic conditions **R. K. Kole, S. K. Das and A. K. Das**

380 A survey of the destructive effect of *Macrotermes bellicosus* Smeathman (Isoptera: Termitinae - Macrotermitinae) on coconut seednuts at NIFOR, Benin, Nigeria **C. I. Aisagbonhi**

382 Insect pests of millets and their management: a review **R. T. Gahukar**

392 The susceptibility of pepper fruits (Capsicum species) to oviposition by the pepper fruitfly, *Atherigona orientalis* (Schiner) in Port Harcourt, Nigeria **O. N. Ogbalu**

394 Studies on the biology of rice thrips, *Stenchaetothrips biformis* (Bagnall) in India **V. V. Madhusudhan and M. Gopalan**

397 Effect of pre-storage seed treatments on adult mortality, oviposition and development of *Callosobruchus chinensis* L. (Bruchidae: Coleoptera), and the viability of mungbean (*Vigna radiata* (L.) Wilczek) in India **T. Ramesh Babu, S. H. Hussaini and B. Satyanarayana**

399 Effect of dates of sowing and varieties on the incidence of insect pests of lucerne (*Medicago sativa* L.) in India **M. P. Gupta and S. Ram**

403 Effect of weeds on colonization of cowpea by *Aphis craccivora* Koch (Homoptera: Aphididae) and its major predators in Nigeria **T. I. Ofuya**

406 Effects and insecticidal suppression of damage caused by *Heliothis armigera* (Hbn.) on rain-fed tomato in Nigeria **E. O. Ogunwolu**

410 Status, bioecology and management of Epilachna beetle, Epilachna vigintioctopunctata (Fab.) (Coleoptera: Coccinellidae) on potato in India: a review **D. Rajagopal and T. P. Trivedi**

414 Incidence, diapause and carry over of the cereal stem borers on Rusinga Island, Kenya **G. C. Unnithan and K. V. Seshu Reddy**

420 Sampling egg batches of *Maliarpha separatella* RAG. (Lep., Pyralidae) in Madagascan rice fields **G. Bianchi, J. Baumgärtner, V. Delucchi, N. Rahalivavololona, S. Skillman and PH. Zahner**

425 Studies on the population dynamics of the fruit flies, *Anastrepha* (Diptera: Tephritidae) associated with mango (*Mangifera indica* L.) in Costa Rica **J. Soto-Manitiu and L. F. Jirón**

428 Characterization of Cuttack and Raipur biotypes of the Asian rice gall midge in India: a case study **P. S. Prakasa Rao and S. U. Kittur**

431 Auchenorrhyncha (Homoptera) associated with mango, *Mangifera indica* L. **C. A. Viraktamath**

435 **Author Index**